

LED2CD Round Series

FIXTURE TYPE:
 PROJECT NAME:
 LOCATION:
 DATE:

JBOX DOWNLIGHT
RETROFIT & NEW CONSTRUCTION



Round Trim

Specification

Material	Aluminum
Lens	Polycarbonate
Beam angle	60 degree
Color Temp	4000K
CRI	80
Input Voltage	120-277V
Installation	Retrofit or New construction
Efficacy	Up to 80 lm/W
LED Life Span	50,000 hours
Dimmable	1-10V Dimming
Lumen Package	1,600 lumen
Warranty	5 Years
Ambient Operation Temperature	-20°C (-13°F)~40°C(103°F)
Listing	UL Listed IC Rated, Damp Location

FIXTURE TYPE:
 PROJECT NAME:
 LOCATION:
 DATE:

LED2CD Round Series

JBOX DOWNLIGHT
RETROFIT & NEW CONSTRUCTION

Features

- Split design of LED light engine and trim, one engine allows for seamless integration of 4"/6"/8"/10" round trim options.
- Aluminum reflector with white trim ring
- Simple installation with spring-action housing clips.
- Integrated J-box for direct wire eliminated recessed can, perfect economic solution for new construction applications. Single CCT 4000K.
- IC Rated.
- Suitable for damp location.

Ordering Guide Example: 2CD Round

Fixture Type	Wattage	Color Temp	Trim Options	Trim Color
LED2CD	15W 20W	40K = 4000K	4RT =4inch Round Trim 6RT =6inch Round Trim 8RT =8inch Round Trim 10RT =10inch Round Trim	Blank = White

Optional Accessories

Emergency Battery Backup	New Construction Frame
EM (SKU: EMBK15WH-A-EXT02) = 15W Emergency battery backup	NCF02 (SKU: CDFRAME02) = New construction frame for 4inch 6inch 8inch round trim.

FIXTURE TYPE:
 PROJECT NAME:
 LOCATION:
 DATE:

LED2CD Round Series

JBOX DOWNLIGHT
RETROFIT & NEW CONSTRUCTION

Product Information

	4000K	
WATTAGE	LUMEN	EFFICACY
15W	1200lm	80lm/W
20W	1600lm	80lm/W

Emergency Battery Backup



Emergency Battery Backup
SKU: EMBK15WH-A-EXT02

- 15W external emergency battery backup require field install.

New Construction Frame



New construction frame

SKU: CDFRAME02

- Suitable for 4" 6" 8" round trim only

FIXTURE TYPE:
 PROJECT NAME:
 LOCATION:
 DATE:


LED2CD Round Series

JBOX DOWNLIGHT
RETROFIT & NEW CONSTRUCTION


Optional Trim




4" Round Trim



6" Round Trim



8" Round Trim



10" Round Trim

