


LED2NTF Series

FIXTURE TYPE:
 PROJECT NAME:
 LOCATION:
 DATE:


LED 2X2 2X4 TROFFER



Dimensions



$23 \frac{4}{5}'' \times 23 \frac{4}{5}'' \times 2 \frac{1}{8}''$



$23 \frac{4}{5}'' \times 47 \frac{4}{5}'' \times 2 \frac{1}{8}''$



Specification

Housing	Steel Housing
Lens	Round acrylic lens
Beam Angle	120 Degree
CRI	80
Color Temp	3CCT 3500K/4000K/5000K
Input Voltage	120-277V
Installation	T Bar recessed mount Flange mount Kit
Efficacy	Up to 125 lm/W
LED Lifespan	50,000 Hrs
Dimmable	0-10V Dimmable
Lumen Package	3,000 lm to 5,625lm
Warranty	5 Years
Ambient Operation Temperature	-15°C (5°F) ~ 40° C(104°F)
Listing	UL Listed DLC Premium

FIXTURE TYPE:
 PROJECT NAME:
 LOCATION:
 DATE:

LED 2X2 2X4 TROFFER

Features

- LED center basket troffer ensure more uniform light output and less shadows, making the interior feel larger and more open.
- 3CCT Color temperature adjustable 3500K/4000K/5000K
- Two different size and field wattage selectable 2'x2' 36W/30W/24W and 2'x4' 45W/36W/24W
- Durable cold rolled steel housing with matte white finish.
- Dimmable with compatible 0-10V dimmer.
- Optional 8W emergency battery backup.

Ordering Guide Example: LED2NTF-2x2DIM-UW35/40/50K

Fixture Type	Size	Wattage	Color Temp
LED2NTF	2x2DIM =2ft x 2ft 2x4DIM =2ft x 4ft	UW = Wattage Selectable 2x2 36W/30W/24W 2x4 45W/36W/24W	35/40/50K =3CCT Color temp adjustable

Optional accessories

Emergency Battery Backup	Flange Mount Kit
EM (SKU:EMBK-TF-AC8W) =8W Emergency battery backup Factory pre-install by request.	FMK SKU:(PL2X2FM/PL2X4FM) =Flange Mount kit for 2x2 and 2x4

FIXTURE TYPE:
 PROJECT NAME:
 LOCATION:
 DATE:

LED 2X2 2X4 TROFFER

Product Information

LED2NTF2X2

2x2	3500K		4000K		5000K	
WATTAGE	LUMEN	EFFICACY	LUMEN	EFFICACY	LUMEN	EFFICACY
36W	4428lm	123lm/W	4500lm	125lm/W	4500lm	125lm/W
30W	3690lm	123lm/W	3750lm	125lm/W	3750lm	125lm/W
24W	2928lm	123lm/W	3000lm	125lm/W	3000lm	125lm/W

LED2NTF2X4

2x4	3500K		4000K		5000K	
WATTAGE	LUMEN	EFFICACY	LUMEN	EFFICACY	LUMEN	EFFICACY
45W	5535lm	123lm/W	5625lm	125lm/W	5625lm	125lm/W
36W	4428lm	123lm/W	4500lm	125lm/W	4500lm	125lm/W
24W	2928lm	123lm/W	3000lm	125lm/W	3000lm	125lm/W

For the accessories detail, please visit www.lironlighting.com/add-on-accessories

FIXTURE TYPE:
PROJECT NAME:
LOCATION:
DATE:

LED 2X2 2X4 TROFFER

Optional Accessories


Emergency Battery Backup



8W Internal Emergency Battery Backup **SKU: EMBK-TF-AC8W**

- Internal battery backup is pre-install by request.
- 90 minutes emergency operation
- 8W provide up to 1,000 lumen during emergency mode

Flange Mount:



Flange Mount Kit **SKU: PL2X2FM,PL2X4FM**

- 2X2 or 2x4 flange mount kit.