

DD Series Disk Downlight

-• -	-	
- I Y TI	Ira	Гуре:
		JPC.
		/

Project Name:

Location:

Date:

Features

- -6" aluminum disk down light
- -Architectural white finish
- -Taric Dimming
- -Fit most 4" J box and 5-6" recessed housing
- -Wet location list










Product Performance Standard


Size	6 Inch	Power Factor	≥90%
Weight	2 lb	LED lifespan	50,000 Hrs
Color Temp	3000K-4000K-5000K	Dimmable	Taric Dimming
CRI	80	Energy Star	YES
Input Voltage	120V	Warranty	5 Years
Wet Location	YES	Ambient Operation Temperature	0C° (32°F) ~40C °(104°F)

Ordering Guide Example: LEDDD 15W 30K









PAGE 1 of 3



Fixture Type:
Project Name:
Location:
Date:

Product Information

	300	OOK	400	OOK	5000K	
WATTAGE	LUMEN	EFFICACY	LUMEN	EFFICACY	LUMEN EFFICA	CY
15W	980lm	68lm/W	1000lm	69lm/W	1070lm 70lm/\	W






Fixture Type:	
Project Name:	
Location:	
Date:	

Wiring diagram

CORD/ SUOOLY WIRING LUMINAIRE





Scan the QR code or visit www.lironlighting.com/products/leddd for the complete luminaire installation guide.

14016.	



Nota.