

## Features

- 7"/9" Aluminum slim flush mount down light
- Single color temperature
- Triac dimming
- Easy installation for surface mount or recessed with can housing
- Optional battery backup
- Architecture white finish standard
- Suitable for damp location




With The Test Button  
LEDCSP-BU




EMJB-12W02

## Dimension



7inch(177mm)



9inch(228mm)

0.875"



## Product Performance Standard

Size	7"/9"	Power Factor	≥90%
Weight	0.8lb/1.4lb	LED Lifespan	50,000 Hrs
CRI	80	Dimmable	Triac Dimming
Color Temp	4000K/3CCT	Warranty	5 Years
Input Voltage	120V	Ambient Operation Temperature	0C° (32°F) ~40C°(104°F)

## Ordering Guide

Example: LEDCSP12W7IN30K BK -BU

Fixture Type	Wattage & Size	Color Temp.	Finish	Test Button	Emergency Battery
LEDCSP	12W7IN 18W9IN	140K = 4000K 3CT = CCT Adjustable	Blank = White	BU = EB Test Button	EMJB-12W02 = Jbox Emergency Battery

Note: 1.4000K only available on the 18W9IN.

## Product Information

3000K			4000K		5000K	
WATTAGE	LUMEN	EFFICACY	LUMEN	EFFICACY	LUMEN	EFFICACY
12W	912lm	76lm/W	936lm	78lm/W	960lm	80 lm/W
18W	1368lm	76lm/W	1404lm	78lm/W	1440lm	80 lm/W

## Accessories

### JBox Emergency Battery Backup



SKU:-EMJB-12W02

- External Jbox Emergency battery backup
- Delivery up to 960 lumen for 90 min emergency use

For the accessories detail, please visit [www.lironlighting.com/add-on-accessories](http://www.lironlighting.com/add-on-accessories)



## CSP Series Slim Flush Mount

**Fixture Type:**

**Project Name:**


**Location:**

**Date:**

### Wiring Diagram

CORD/ SUPPLY WIRING

LUMINAIRE



Scan the QR code or visit  
[www.lironlighting.com/products/ledcsp](http://www.lironlighting.com/products/ledcsp) for  
the complete luminaire installation guide.

Note:

---

---

---

---

---

---

---

