LIRON LIGHTING

PWP Series Premium Wall Pack

Fixture Type:

Project Name:

Location:

Date:

Features

- 1-10V Dimming driver
- Rugged die cast aluminum housing and seals to housing gasket
- Dark bronze powder coat finish
- Polycarbonate optical lens with UV stabilizer
- 1/2 inch threaded hole for easier wire connections
- J box or surface mounting
- Compatible with motion sensor, photocell and emergency battery

Dimension





Product Performance Standard

Size	14 1/4"L X 9 1/4"W X 8"H	**Power Factor**	≥90%
Weight	7 lb	**LED Lifespan**	100,000 Hrs
IP Rate	IP65	**Dimmable**	1-10V Dimmable
Color Temp	4000K-5000K	**Motion Sensor**	YES
CRI	70	**Warranty**	10 Years
Input Voltage	120-277V	**Ambient Operation Temperature**	-40C° (-40°F) ~40C °(104°F)

Ordering Guide

Example: LEDPWP 45W 40K

Fixture Type	Wattage	Color Temp.	Voltage	[1]Finish	[2]Optional Accessories
LEDPWP	30 W 45 W 70 W	40K=4000K 50K=5000K	Blank = 120-277V	Blank = Dark Bronzed BK = Black WH = White	Blank = No Accessories PC = Photocell (-WPPC) [3]EM = Emergency Battery Backup (-A-EMBK8WLV-INT) MS = Motion Sensor (-BL-PIR-INT)

Note: 1. Other finish color, consult factory for the availability
2. Photocell, motion sensor and emergency battery only available for low voltage fixture
3. Emergency battery **is not** suitable for 30W

10835 S Wilcrest Dr, Ste C Houston TX 77099 | Customer Service : 833-875-4766 | Email : Sales@lironlighting.com

Due to continuous product improvements, specifications and dimensions are subject to change without notice. Certain options have limited compatibility with some other product selections. Consult www.lironlighting.com for most current technical information.

PWP Series Premium Wall Pack

Fixture Type:
Project Name:
Location:
Date:

Product Information

	4000K		5000K	
WATTAGE	LUMEN	EFFICACY	LUMEN	EFFICACY
30W	3300lm	110lm/W	3400lm	113lm/W
45W	4800lm	106lm/W	4900lm	109lm/W
70W	7700lm	110lm/W	7800lm	112lm/W

Optional Accessories

Internal Photocell

-SKU: WPPC
-Internal photocell is field installed or pre-installed by request

Internal Emergency Battery Backup

-SKU: A-EMBK8WLV-INT
-Internal battery backup is field installed or pre-installed by request
-Delivery 900 lumen for 90 minutes emergency operation
Only suitable for 45W/70W

Internal PIR - Motion Sensor

-SKU: BL-PIR-INT
-Internal PIR Motion Sensor is field installed or pre-installed by request
-Provide multi-level control based on motion or daylight contribution

For the accessories detail, please visit www.lironlighting.com/product_categories/add-on-accessories

10835 S Wilcrest Dr, Ste C Houston TX 77099 | Customer Service : 833-875-4766 | Email : Sales@lironlighting.com

Due to continuous product improvements, specifications and dimensions are subject to change without notice. Certain options have limited compatibility with some other product selections. Consult www.lironlighting.com for most current technical information.

LiRON LiGHTING

PWP Series Premium Wall Pack

Fixture Type:
Project Name:
Location:
Date:

Wiring Diagram



Scan the QR code or visit
www.lironlighting.com/products/ledpwp
for the complete luminaire installation guide.

Note:

10835 S Wilcrest Dr, Ste C Houston TX 77099 | Customer Service : 833-875-4766 | Email : Sales@lironlighting.com

Due to continuous product improvements, specifications and dimensions are subject to change without notice. Certain options have limited compatibility with some other product selections. Consult www.lironlighting.com for most current technical information.