




Liron Split J box DownLight

The innovative separable design of junction box and housing.
We offer various options for trim sizes and shapes. It is perfect foundation for a fully interchangeable system of modules and trims that give you endless choice over how your lighting works and looks.


A brilliant Innovation

Split design of LED light engine and trim

It is a breakthrough addition to the downlight family. It takes the one engine's exceptional flexibility, simplicity and performance and imagines it in a square format that delivers perfect alignment every time.



The Twist & Lock feature allows for easy, tool-free installations and seamless integration of multiple trims.





Innovative New Construction Frame Option

Now made faster & simpler

Liron engineers understand how challenging it can be to install a square downlight perfectly straight and perfectly aligned for new construction. That's why they've incorporated a suite of features that work together seamlessly to give you a flawless fit more quickly and with less hassle.



3000K

4000K
















5000K



CCT & Wattage Adjustable

A selectable slide switch comes standard with three adjustable wattage levels and three adjustable color temperatures, providing the flexibility to adapt to the changing needs of the space, setting, or environment.



         	<div></div>					
	Model	LED2CD10W	LED2CD15W	LED2CD20W	LED2CD20W	LED2CD27W/34W/40W
	Input Power	10W	15W	20W	20W	40W
	Efficacy	75lm/W	75lm/W	75lm/W	75lm/W	75lm/W
	Lumen output	750lm	1125lm	1500lm	1600lm	3200lm
	3CCT(Color Temperature Switchable)	3000K/4000K/5000K	3000K/4000K/5000K	3000K/4000K/5000K	3000K/4000K/5000K	3000K/4000K/5000K
	CRI	>80	>80	>80	>80	>80
	120-347V Input	✓	✓	✓	✓	✓
	Wattage Selectable Option	✓	✓	✓	✓	✓
	1-10V Dimming	✓	✓	✓	✓	✓
	New Construction	✓	✓	✓	✓	✓
	Remodel	✓	✓	✓	✓	✓
	1-10V Dimming	✓	✓	✓	✓	✓
	IC Rate	✓	✓		✓	
	Emergency Option	✓	✓	✓	✓	
	Warranty	5 year	5 year	5 year	5 year	5 year
	UL	✓	✓	✓	✓	✓
	Energy Star	✓	✓	✓	✓	✓
	4" Round Trim	✓	✓	✓	✓	✓
	4" Squire Trim	✓	✓	✓	✓	✓
	4" Round Wall Washer	✓	✓	✓	✓	✓
	4" Square Wall Washer	✓	✓	✓	✓	✓
	6" Round Trim	✓	✓	✓	✓	✓
	6" Squire Trim	✓	✓	✓	✓	✓
	6" Round Wall Washer	✓	✓	✓	✓	✓
	6" Square Wall Washer	✓	✓	✓	✓	✓
	8" Round Trim	✓	✓	✓	✓	✓
	10" Round Trim	✓	✓	✓	✓	✓

Whatever you need, There's perfect match for your project



© 2021 Liron Lighting. All rights reserved. The information provided herein is subject to change, without notice. Liron does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Liron. All trademarks are owned by Liron Lighting or their respective owners. All rights reserved

Address : 10835 S Wilcrest Dr., Ste. C
Houston TX 77099
Email : Sales@lironlighting.com
Customer service : 833-875-4766
Website : www.lironlighting.com