LIRON LIGHTING

CSP Series Slim Flush Mount

Fixture Type:
Project Name:
Location:
Date:

Features

-5"/7"/9"/12" Aluminum slim flush mount downlight
-Single color temperature 3000K/4000K/5000K
-Triac dimming
-Easy installation for surface mount or recessed with can housing
-Optional battery backup
-Architecture white finish standard, optional in Matte black finish

With The Test Button
LEDCSP-BU

Dimension



5inch(139mm)



7inch(177mm)



9inch(228mm)



12inch(304mm)



*Low profile design only 1/2" high.

Product Performance Standard

Size	5"/7"/9"/12"	**Power Factor**	≥90%
Weight	0.4lb/0.6lb/0.8lb/1.4lb	**LED Lifespan**	50,000 Hrs
CRI	80	**Dimmable**	Triac Dimming
Color Temp	3000K/4000K/5000K	**Warranty**	5 Years
Input Voltage	120V	**Ambient Operation Temperature**	0C° (32°F) ~40C°(104°F)

Ordering Guide

Example: LEDCSP6W5IN30KBK -BU

Fixture Type	Wattage & Size	Color Temp.	Finish	Test Button	Emergency Battery
LEDCSP	6W5IN 12W7IN 18W9IN 24W12IN	30K = 3000K 40K = 4000K 50K = 5000K 3CT = CCT Adjustable (30/40/50K)	Blank = White	Blank BU = Test Button	Blank EMJB12W = Jbox Emergency Battery

Note: Only CCT adjustable fixture can suitable for emergency battery

10835 S Wilcrest Dr, Ste C Houston TX 77099 | Customer Service : 833-875-4766 | Email : Sales@lironlighting.com

Due to continuous product improvements, specifications and dimensions are subject to change without notice. Certain options have limited compatibility with some other product selections. Consult www.lironlighting.com for most current technical information.

LIRON LIGHTING

CSP Series Slim Flush Mount

Fixture Type:
Project Name:
Location:
Date:

Product Information

	3000K		4000K		5000K	
WATTAGE	LUMEN	EFFICACY	LUMEN	EFFICACY	LUMEN	EFFICACY
6W	456lm	76lm/W	468lm	78lm/W	480lm	80 lm/W
12W	912lm	76lm/W	936lm	78lm/W	960lm	80 lm/W
18W	1368lm	76lm/W	1404lm	78lm/W	1440lm	80 lm/W
24W	1824lm	76lm/W	1872lm	78lm/W	1920lm	80 lm/W

Optional Accessories

EM Test Button

SKU:-BU
-Pre installed test button for emergency battery backup

JBox Emergency Battery Backup

SKU:-EMJB12W

- External Jbox Emergency battery backup
- Delivery up to 960 lumen for 90 min emergency use
- Only CCT adjustable fixture can suitable for emergency battery

For the accessories detail, please visit www.lironlighting.com/product_categories/add-on-accessories/

Due to continuous product improvements, specifications and dimensions are subject to change without notice. Certain options have limited compatibility with some other product selections. Consult www.lironlighting.com for most current technical information.

LIRON LIGHTING

CSP Series Slim Flush Mount

Fixture Type:
Project Name:
Location:
Date:

Wiring Diagram

CORD/ SUPPLY WIRING LUMINAIRE



Scan the QR code or visit www.lironlighting.com/products/ledcsp for the complete luminaire installation guide.

Note:

Due to continuous product improvements, specifications and dimensions are subject to change without notice. Certain options have limited compatibility with some other product selections. Consult www.lironlighting.com for most current technical information.