

# LEDLSPL Series

LED Sport Light

**Fixture Type:**

**Project Name**

**Location:**

**Date:**

## Features



- Heavy duty die-cast aluminum housing with UV stabilized polyester powder paint finish
- Dynamic thermal management design that maximizes heat dissipation
- Built in surge suppression
- NEMA 4HX4V standard distribution, optional 3H X 3V distribution available
- 0-10V dimming driver
- Low glare shields and laser aiming included
- Adjustable trunnion mount, optional 2 3/8" Yoke mount adaptor



## Product Performance Standard

<b>Size</b>	15 x 20 x 16 inch	<b>Power Factor</b>	90%
<b>Weight</b>	45 lb	<b>Life Span</b>	50,000 Hrs
<b>IP Rate</b>	IP65	<b>Dimmable</b>	1-10V Dimmable
<b>Color Temp</b>	4000K/5000K	<b>Efficacy</b>	Up to 142 lm/W
<b>CRI</b>	70	<b>Warranty</b>	10 Years
<b>Input Voltage</b>	120-277V or 277-480V	<b>Ambient Operation Temperature</b>	-40C° (-40°F) ~ 55C° (131°F)

## Dimensions



## Ordering Guide

Example: LEDLSPL 850W 50K

Fixture Type	Wattage	Color Temp.	Voltage	Distribution	Optional Accessories
LEDLSPL	1850 W	40K = 4000K 50K = 5000K 57K = 5700K	Blank = 120-277V HV = 277-480V	Blank = 4H X 4V 3H3V = 3H X 3V	Blank = No accessories SPL-TRSPA = Yoke Mount Adaptor

**Notes:** 1. 4H X 4V is standard distribution lens, optional 3H X 3V distribution lens, consult factory for availability.



# LEDLSPL Series

LED Sport Light

**Fixture Type:**

**Project Name**


**Location:**

**Date:**

## Product Information

		4000K		5000K	
WATTAGE	EPA	LUMEN	EFFICACY	LUMEN	EFFICACY
850W	2.5471	117,300 lm	138 lm/W	118,000 lm	139 lm/W

## Optional Accessories



### Yoke Adaptor

- SKU: SPL-TRSPA
- Provided to apply the fixture on a 2 3/8" tenon for easy installation.

For the accessories detail, please visit [www.lironlighting.com/product\\_categories/add-on-accessories](http://www.lironlighting.com/product_categories/add-on-accessories)

