

## **LEDSPL Series**

LED Sport Light

Fixture '	Type
-----------	------

**Project Name** 

Location:

Date:

#### **Features**

- Heavy duty die-cast aluminum housing with UV stabilized polyester powder paint finish
- Dynamic thermal management design that maximizes heat dissipation
- Built in surge suppression
- NEMA 4HX4V distribution
- 0-10V dimming driver
- Low glare shields and laser aiming included
- Adjustable trunnion mount
- Optional 2 3/8" Yoke mount adaptor











#### **Product Performance Standard**

Size	15 x 20 x 16 inch	Power Factor	90%	
Weight	45 lb	Life Span	50,000 Hrs	
IP Rate	IP65	Dimmable	1-10V Dimmable	
Color Temp	4000K/5000K	Efficacy	Up to 146 lm/W	
CRI	70	Warranty	10 Years	
Input Voltage	100-277V/277-480V	Ambient Operation Temperature	-40C° (-40°F) ~ 55C° (131°F)	

## **Dimensions**





#### Ordering Guide Example: LEDSPL 350W 40K

Fixture Type	Wattage	Color Temp.	Voltage	¹Finish	Optional Accessories
					_
LEDSPL	350W	40K = 4000K	Blank = 100-277V	Blank = Black	Blank = No accessories
	505W	50K = 5000K	HV = 277-480V		SPL-TRSPA = Yoke Mount
	600W				Adaptor





# **LEDSPL Series**

LED Sport Light

Fixture Type:			
Project Name			
Location:			
Date:			

#### **Product Information**

\_\_\_

		4000K		5000K	
WATTAGE	EPA	LUMEN	<b>EFFICACY</b>	LUMEN	<b>EFFICACY</b>
350W	1.8911	50,750 lm	145 lm/W	51,000 lm	146 lm/W
505W	1.8911	68,690lm	138 lm/W	70,000lm	139 lm/W
600W	1.8911	82,000lm	137lm/W	82,000lm	137lm/W

## **Optional Accessories**





## Yoke Adaptor

- SKU: SPL-TRSPA
- Provided to apply the fixutre on a 2 3/8" tenon for easy installation.

For the accessories detail, please visit www. lironlighting.com/product\_categories/add-on-accessories





## **LEDSPL Series**

LED Sport Light

Fixture Ty	/pe:
Project Nar	ne
Location:	
Date:	

## **Wiring Diagram**

\_

	Black	Line
	White	Neutral
ıl-	Green/Yellow Green	Ground
""	Purple	DIM+
	Gray	DIM-



Scan the QR code or visit www.lironlighting.com/product/ledspl for the complete luminaire installation guide.

NOTE:			

