

PST2 Series

Architectural Post Top Light

Fixture Type:
Project Name:
Location:

Features

- Architectural double arm post top
- Rugged die-cast aluminum housing
- Dark bronze powder coat finish with polycarbonate lens
- Wattage selectable from 45W to 130W with efficacy of up to 122 lm/W
- CCT adjustable 3000K/4000K/5000K
- Zero up light and low glare at angles
- Easy installation on 2-3/8" or 3" diameter round pole
- Universal input voltage 120-277V



Date:



Switch for wattage & 3CCT selectable













Product Performance Standard


Size	25"x24"x2.8"	Power Factor	90%	
Weight	5lb	Life Span	50,000 Hrs	
IP Rate	IP65	Dimmable	1-10V Dimmable	
Color Temp	3CCT 30/40/50K	Efficacy	Up to 122 lm/W	
CRI	80	Warranty	5 Years	
Input Voltage	120-277V	Ambient Operation Temperature	-40C° (-40°F) ~ 40° (104°F)	

Ordering Guide Example: PST2-UW3CCT-130W

Dimensions







Fixture Type	Wattage	Color Temp.	Wattage Options	¹Finish	Optional Accessories
		-	-	_	_
PST2	UW	3CCT =	130W	Standard Finish	Blank = No accessories
	(Wattage Selectable	Color Temp.	= Maximum Wattage 130W	Blank = Dark Bronze	MS = Motion Sensor
	130W/87W/70W/45W)	Adjustable	Trailage 100TT	¹ Premium Finish	(BL-PIR823-IN)
		(30K/40K/50K)		BK = Black	$^{2}PC = Photocell (-ALPC)$
				WH = White	

Note: 1.Premium finish incur an additional cost. Contact factory for MOQ and availability. 2. Photocell is require factory special installation, please contact us for more information.

Updated: 1-9-2022





PST2 Series

Architectural Post Top Light

Fixture Type:	
Project Name:	
Location:	
Date:	

Product Information

	400	00K	500	00K
WATTAGE	LUMEN	EFFICACY	LUMEN	EFFICACY
45W	5400lm	120lm/W	5500lm	130lm/W
70W	8400lm	120lm/W	8500lm	130lm/W
87W	10500lm	121lm/W	10600lm	122lm/W
130W	15600lm	120lm/W	15800lm	122lm/W

Optional Accessories



Twist Lock Photocell

- SKU: ALPC
- Photocell is factory install only, please contact us for more information.




PIR Motion Sensor

- SKU: BL-PIR823-IN
- Internal motion sensor is pre-installed by request

For the accessories detail, please visit www. lironlighting.com/product_categories/add-on-accessories

EPA OF POST TOP







PST2 Series

Architectural Post Top Light

Fixture Type:	
Project Name:	
Location:	
Date:	

Wiring Diagram

_	Black	Line
	White	Neutral
ıH-	Green/Yellow Green	Ground
"!	Purple	DIM+
	Gray	DIM-



Scan the QR code or visit www.lironlighting.com/product/PST2 for the complete luminare installation guide.

NOTE:			

