

## Features



- Double extra-large LED flood light with standard 7H\*6V (Standard lens) and 4H\*4V lens available.
- 1-10V dimming driver
- Rugged die-cast aluminum housing
- Vented housing separated LEDs module from driver, maximizing fixture lifespan and performance
- Door frame seals to housing with a continuous extruded silicone gasket
- Trunnion mount option
- Compatible with photocell



## Product Performance Standard

<b>Size</b>	18" L X 14 1/2" W X 5 1/4" H	<b>Power Factor</b>	≥90%
<b>Weight</b>	31 lb	<b>LED Lifespan</b>	100,000 Hrs
<b>IP Rate</b>	IP65	<b>Dimmable</b>	1-10V Dimmable
<b>Color Temp</b>	4000K-5000K	<b>Photometry</b>	7H*6V / 4H*4V
<b>CRI</b>	70	<b>Warranty</b>	5 Years
<b>Input Voltage</b>	120-277V / 347-480V	<b>Ambient Operation Temperature</b>	-40C° (-40°F) ~40C° (104°F)

## Dimension



## Ordering Guide Example: LEDXXLFL 350W

Fixture Type	Wattage	Color Temp.	Voltage	Finish	Mounting	NEMA	Optional Accessories
LEDXXLFL	350W	40K=4000K 50K=5000K	Blank = 120-277V HV = 347-480V	Standard finish: Blank = Dark Bronze  1 Premium finish: BK = Black WH = White	TM = Trunnion	Blank = 7H*6V 344 = 4H*4V	Blank = No Accessories  2PC = Photocell (-WPPC)

Notes: 1. Premium finish incur on additional cost, contact factory for MOQ and availability.  
2. Photocell is only available for low voltage fixture  
3. 7H\*6V is the standard lens. 4H\*4V lens, consult factory for availability

**Fixture Type:**

**Project Name:**








**Location:**

**Date:**

## Product Information

4000K			5000K	
WATTAGE	LUMEN	EFFICACY	LUMEN	EFFICACY
350W	48000lm	137lm/W	49500lm	141lm/W

## EPA

Item							
	1	2 @90°	2 @120°	2@180°	3 @90°	3 @120°	4 @90°
<b>350W</b>	<b>0.536</b>	<b>1.061</b>	<b>1.278</b>	<b>1.072</b>	<b>1.597</b>	<b>1.805</b>	<b>1.597</b>

## Optional Accessories



### Internal Photocell

-SKU: WPPC

-Internal photocell is field installed or pre-installed by request.


For the accessories detail, please visit [www.lironlighting.com/product\\_categories/add-on-accessories](http://www.lironlighting.com/product_categories/add-on-accessories)

## Mounting Options



### Trunnion Mount

-SKU: TM



Net Weight  
350W: 31.272 lb




# XXLFL Series Double Large Flood Light

<b>Fixture Type:</b>
<b>Project Name:</b>
<b>Location:</b>
<b>Date:</b>

## Wiring Diagram

CORD/ SUPPLY WIRING

LUMINAIRE



Scan the QR code or visit [www.lironlighting.com/product/ledxxlfl](http://www.lironlighting.com/product/ledxxlfl) for the complete luminaire installation guide.

Note:

---

---

---

---

---

---

---

---