

XXLFL Series Double Large Flood Light

Fixture Type:

Project Name:

Location:

Date:

Features

- Double extra-large LED flood light with standard 7Hx6V (Standard lens) and 4Hx4V lens available.
- 1-10V dimming driver
- Rugged die-cast aluminum housing
- Vented housing separated LEDs module from driver, maximizing fixture lifespan and performance
- Door frame seals to housing with a continuous extruded silicone gasket
- Trunnion mount option
- Compatible with photocell

















Product Performance Standard

Size	18"LX14½" W X 5½" H	Power Factor	≥90%	
Weight	31 lb	LED Lifespan	100,000 Hrs	
IP Rate	IP65	Dimmable	1-10V Dimmable	
Color Temp	4000K-5000K	Photometry	7Hx6V /4Hx4V	
CRI	70	Warranty	5 Years	
Input Voltag	e 120-277V/347-480V	Ambient Operation Temperature	-40C° (-40°F) ~40C°(104°F)	

Dimension





Ordering Guide Example: LEDXXLFL 350W

Fixture Type	Wattage	Color Temp.	Voltage	Finish	Mounting	NEMA	Optional Accessories
	_						
LEDVVIEL	0.50\47	101/ 10001/	DI 1 100 077V		TA4 - T :		
LEDXXLFL	350W	40K=4000K	Blank = 120-277V	Standard finish:	TM = Trunnion	Blank =7Hx6V	Blank = No Accessories
		50K=5000K	HV = 347 -480V	Blank = Dark Bror	nze	$^{3}44 = 4Hx4V$	² PC = Photocell (-WPPC)
				¹ Premium finish:			, ,
				BK = Black			
				WH = White			

Notes: 1.Premium finish incur on additional cost, contact factory for MOQ and availability.

2 .Photocell is only available for low voltage fixture

3. 7HX6V is the standard lens. 4HX4V lens, consult factory for availability

LEDXXLFL Rev 12-5-2022 PAGE 1 of 3





XXLFL Series Double Large Flood Light

, -			
	ILO	1VP	•
	JIE	IVU	
 		Typ	

Project Name:

Location:

Date:


Product Information

 4000K
 5000K

 WATTAGE
 LUMEN
 EFFICACY
 LUMEN
 EFFICACY

 350W
 48000lm
 137lm/W
 49500lm
 141lm/W

EPA



Optional Accessories



Internal Photocell

- -SKU: WPPC
- -Internal photocell is field installed or pre-installed by request.


For the accessories detail, please visit www.lironlighting.com/product_categories/add-on-accessories

Mounting Options



Trunnion Mount

-SKU: TM





Net Weight 350W: 31.272 lb






XXLFL Series Double Large Flood Light

Fixture Type:
Project Name:
Location:
Date:

Wiring Diagram

CORD/ SUPPLY WIRING LUMINAIRE





Scan the QR code or visit www.lironlighting.com/product/ledxxlfl for the complete luminaire installation guide.

Note:		

