

DD4 Series

3CCT Disk Downlight

Fixture Type:

Project Name:

Location:



Date:

Features

- 4"/6" LED disk downlight
- Cold rolled steel housing with durable polycarbonate lens
- 3CCT Color temperature selectable 30/40/50K
- Triac dimming
- Easy surface mount installation



Dimensions



	10W	15W
L1	6"	14"
L2	0.98"	0.98"



Product Performance Standard

Size	4"/6"	Power Factor	90%
Weight	4lb	Life Span	50,000 Hrs
Mounting	Surface mount	Dimmable	Triac dimmable
Color Temp	3CCT	Efficacy	up to 80 lm/W
CRI	80	Warranty	5 Years
Input Voltage	120V	Ambient Operation Temperature	-15°C (-4°F) ~ 40° (104°F)

Ordering Guide

Example: DD4 15W6IN 3CCT

Fixture Type	Size & Wattage	Color Temp.	Voltage	Finish
DD4	10W4IN = 10Watt4Inch 15W6IN = 15Watt6Inch	3CCT = 30/40/50K (Color Temperature Adjustable)	Blank = 120V	Blank = White

DD4 Series

3CCT Disk Downlight

Fixture Type:

Project Name:

Location:

Date:

Product Information

WATTAGE	3000K		4000K		5000K	
	LUMEN	EFFICACY	LUMEN	EFFICACY	LUMEN	EFFICACY
10W	670lm	67lm/W	680lm	68lm/W	700lm	70lm/W
15W	1005lm	67lm/W	1020lm	68lm/W	1050lm	70lm/W

Exploded View

