
LED Architectural Linear 17/8" ALB Series





Liron Architectural Linear Basic Series:

Esthetics. Performance. Versatility

Basic series. Definitely not basic results.

Combining superior esthetics, quality performance


And unparalleled versatility. Liron Architectural Linear basic series Offers new opportunities to capture the beauty and benefits of the ture lighting.

Flexibility


Wattage Selectable:




Color Temperature Adjustable:




Mounting:



Dry Wall Ceiling:




T- Grid Ceiling:





MODULAR DESIGN


PC cover, PCB, and Driver are detachable, easy to replace and maintain.



Continuous Light Endless Design

ALB provided easy installation continuous lighting solutions. It designed to provide uninterrupted, low-glare illumination while enhancing the architecture of any space.

120Vac: connect up to 40ft 277Vac: connect up to 100ft



1000 lm/ft Direct

Finish	Lumen Package		
	High	Medium	Low
White Finish	1000lm/ft 10w/ft	750lm/ft 7.5w/ft	500lm/ft 5w/ft
Black Finish	800lm/ft 10w/ft	600lm/ft 7.5w/ft	400lm/ft 5w/ft

Above are subjuect to 3500K. All efficacy is $\pm 5\%$ base on different CCT. Check the IES file to gain the accurate data .

Outstanding Performance

The ALB Series performs at up to 1000 lm/ft and delivers accurate color redering for interior spaces featuring 80 CRI. The ALB allows designers to create comfortable, uniformity spaces whiles using 50% less energy compared to traditional fluorescent system.



LEGAL NOTES:

2022 Liron Lighting. All rights reserved. For informational purposes only. Content is subject to change. Liron logo are registered trademarks.

10835 S wilcrest, Ste C Houston TX 77099 F: 833-875-4766 sales@lironlighting.com www.lironlighting.com

