

**Fixture Type:**

**Project Name:**

**Location:**


**Date:**

## Features

- Rugged aluminum housing with integral heat sink fins to aid in thermal transfer of the electrical component
- Double arm style
- Top diameter limited to 2-3/8" or 3" for install on poles mount
- 8-20 feet mounting height
- 1-10V dimming driver
- Compatible with motion sensor and photocell



## Dimension



## Product Performance Standard

<b>Size</b>	24 1/4" L x 4"W	<b>Power Factor</b>	≥90%
<b>Weight</b>	25 lb	<b>LED Lifespan</b>	50,000 Hrs
<b>IP Rate</b>	IP65	<b>Dimmable</b>	1 - 10V Dimming
<b>Color Temp</b>	4000K-5000K	<b>THD</b>	<20%
<b>CRI</b>	70	<b>Warranty</b>	5 Years
<b>Input Voltage</b>	120-277V/347-480V	<b>Ambient Operation Temperature</b>	-40C° (-40°F) ~40C° (104°F)

## Ordering Guide

Example: LED2PST 45W 50K

Fixture Type	Wattage	Color Temp.	Voltage	Finish	Optional Accessories
LED2PST	45 W	40K=4000K	Blank = 120-277V	Blank = Dark Bronzed	Blank = No Accessories
	70 W	50K=5000K	HV = 347 -480V	BK = Black	PC = Photocell (-WPPC)
	87 W			WH = White	MS = Motion Sensor (-BL-PIR-INT)
	130W				

Note: Only 130W compatible with 347-480V.

LED2PST Rev 4-5-2021 PAGE 1 of 3



<b>Fixture Type:</b>
<b>Project Name:</b>
<b>Location:</b>
<b>Date:</b>

## Product Information

4000K			5000K	
WATTAGE	LUMEN	EFFICACY	LUMEN	EFFICACY
45W	5400lm	120lm/W	5500lm	130lm/W
70W	8400lm	120lm/W	8500lm	130lm/W
87W	10500lm	121lm/W	10600lm	122lm/W
130W	15600lm	120lm/W	15800lm	122lm/W

## Optional Accessories



### Photocell Included

- SKU: ALPC
- 3 PIN twist lock photocell is field installed or pre-installed by request.



### PIR - Motion Sensor

- SKU: BL-PIR-INT
- Internal PIR Motion Sensor is field installed or pre-installed by request.

For the accessories detail, please visit [www.lironlighting.com/product\\_categories/add-on-accessories](http://www.lironlighting.com/product_categories/add-on-accessories)

**Fixture Type:**

**Project Name:**


**Location:**

**Date:**

## Wiring Diagram

CORD/ SUPPLY WIRING

LUMINAIRE



Scan the QR code or visit  
[www.lironlighting.com/products/led2pst](http://www.lironlighting.com/products/led2pst)  
 for the complete luminaire installation guide.

Note:

---

---

---

---

---

---

---

---