



# FCWP3L Series

FIXTURE TYPE: \_\_\_\_\_  
 PROJECT NAME: \_\_\_\_\_  
 LOCATION: \_\_\_\_\_  
 DATE: \_\_\_\_\_

## SLIM FULL CUTOFF WALL PACK





Switch for wattage & 3CCT selectable



Wattage switchable 100W/84W/62W/42W

## Dimensions



## Specification

Size	13.1"x9.6"x5"
Weight	5 lb
IP Rate	IP65
Color Temp	3CCT 3000K/4000K/5000K
CRI	80
Input Voltage	120-277V
Power Factor	90%
LED Lifespan	50,000 Hrs
Dimmable	1-10V Dimmable
Efficacy	Up to 158 lm/W
Warranty	10 Years
Ambient Operation Temperature	-40°C (-40°F)~40°C (104°F)

# FCWP3L Series

FIXTURE TYPE:  
PROJECT NAME:  
LOCATION:  
DATE:

## SLIM FULL CUTOFF WALL PACK

### Features

- Sleek, low profile LED full cutoff wall pack
- Rugged die-cast aluminum housing
- Dark bronze powder coat finish with polycarbonate lens
- Wattage selectable from 42W/62W/84W/100W with efficacy of up to 158 lm/W CCT adjustable 3000K/4000K/5000K
- Full cutoff with zero up light and low glare at angles
- Uniform distribution with no visible pixilation
- Easy installation for new construction or retrofit application
- Universal input voltage 120-277V
- Vandal-resistant lens

### Ordering Guide Example: FCWP3L-UW3CCT-100W

SKU	Wattage	Color Temp	Wattage Options	<sup>1</sup> Finish	Optional Accessories
FCWP3L	UW = Wattage selectable	3CCT = Color Temp Adjustable (30K/40K/50K)	100W = Maximum Wattage 100W	Standard Finish Blank = Dark Bronze <sup>1</sup> Premium Finish BK = Black WH = White	Blank = No accessories PC = Photocell (-WPPC) EM = 8W Emergency battery backup, internal pre-install. (-EMBK8W-CNP02)

Note: 1.Premium finish incurs an additional cost. Contact factory for MOQ and availability.

### Product Information

WATTAGE	3000K		4000K		5000K	
	LUMEN	EFFICACY	LUMEN	EFFICACY	LUMEN	EFFICACY
42W	6400lm	152 lm/W	6500lm	154 lm/W	6667lm	158 lm/W
62W	9300lm	150 lm/W	9400lm	151 lm/W	9548lm	154 lm/W
84W	12500lm	148 lm/W	12600lm	150 lm/W	12725lm	151 lm/W
100W	14300lm	143 lm/W	14400lm	144 lm/W	14500lm	145 lm/W

# FCWP3L Series

FIXTURE TYPE:  
PROJECT NAME:  
LOCATION:  
DATE:


SLIM FULL CUTOFF WALL PACK

## Accessories



### Internal Button Photocell

- SKU: WPPC
- Internal Photocell is pre-installed by request



### Internal 8W Emergency Battery Backup SKU: EMBK8W-CNP02

- Internal battery backup is pre-install by request
- 90 minutes emergency operation
- Provide up to 1100 lumen during emergency mode

For the accessories detail, please visit [www.lironlighting.com/product\\_categories/add-on-accessories](http://www.lironlighting.com/product_categories/add-on-accessories)

## BUG

CCT	B	U	G
3000K	3	0	3
CCT	B	U	G
4000K	3	0	3
CCT	B	U	G
5000K	3	0	2