LIRON LIGHTING

FCWP3L Series

Slim full cutoff Wall Pack

Fixture Type:

Project Name:

Location:

Date:

Features

- Sleek, low profile LED full cutoff wall pack.
- Rugged die-cast aluminum housing.
- Dark bronze powder coat finish with polycarbonate lens.
- Wattage selectable from 42W/62W/84W/100W with efficacy of up to 158 lm/W.
- CCT adjustable 3000K/4000K/5000K.
- Full cutoff with zero up light and low glare at angles
- Uniform distribution with no visible pixilation.
- Easy installation for new construction or retrofit application.
- Universal input voltage 120-277V.

Wattage switchable

100W/84W/62W/42W

Switch for wattage & 3CCT selectable

Dimensions





Product Performance Standard

Size	13.1"x9.6"x5"	**Power Factor**	90%
Weight	5lb	**Life Span**	50,000 Hrs
IP Rate	IP65	**Dimmable**	1-10V Dimmable
Color Temp	3CCT 30/40/50K	**Efficacy**	Up to 158 lm/W
CRI	80	**Warranty**	10 Years
Input Voltage	120-277V	**Ambient Operation Temperature**	-40C° (-40°F) ~ 40° (104°F)

Ordering Guide

Example: FCWP3L-UW3CCT-100W

Fixture Type	Wattage	Color Temp.	Wattage Options	[1]Finish	Optional Accessories
FCWP3L	UW =(Wattage Selectable)	3CCT =Color Temp. Adjustable (30K/40K/50K)	100W =Maximum Wattage 100W	Standard finish Blank = Dark Bronze [1]Premium finish BK = Black WH = White	Blank = No accessories PC = Photocell (-WPPC)

Note: 1.Premium finish incur an additional cost. Contact factory for MOQ and availability.

Updated: 12-5-2022

10835 S Wilcrest Dr, Ste C Houston TX 77099 | Customer Service : 833-875-4766 | Email : Sales@lironlighting.com

Due to continuous product improvements, specifications and dimensions are subject to change without notice. Certain options have limited compatibility with some other product selections. Consult www.lironlighting.com for most current technical information.

LiRON LiGHTING

FCWP3L Series

Slim full cutoff Wall Pack

Fixture Type:

Project Name:

Location:

Date:

Product Information

	3000K		4000K		5000K	
WATTAGE	**LUMEN**	**EFFICACY**	**LUMEN**	**EFFICACY**	**LUMEN**	**EFFICACY**
100W	14300lm	143lm/W	14400lm	144lm/W	14500lm	145lm/W
84W	12500lm	148lm/W	12600lm	150lm/W	12725lm	151lm/W
62W	9300lm	150lm/W	9400lm	151lm/W	9548lm	154lm/W
42W	6400lm	152lm/W	6500lm	154lm/W	6667lm	158lm/W

Optional Accessories

Internal Button Photocell

- SKU: WPPC
- Internal Photocell is pre-installed by request

For the accessories detail, please visit www. lironlighting.com/product_categories/add-on-accessories

Due to continuous product improvements, specifications and dimensions are subject to change without notice. Certain options have limited compatibility with some other product selections. Consult www.lironlighting.com for most current technical information.

LIRON LIGHTING

FCWP3L Series

Slim full cutoff Wall Pack

Fixture Type:

Project Name:

Location:

Date:

Wiring Diagram



Scan the QR code or visit www.lironlighting.com/product/fcwp3 for the complete luminare installation guide.

NOTE:

Due to continuous product improvements, specifications and dimensions are subject to change without notice. Certain options have limited compatibility with some other product selections. Consult www.lironlighting.com for most current technical information.