

FCWP3 Series

Slim Full Cutoff Wall Pack

Fixture Type:	
Project Name:	
Location:	
Date:	

Dimensions

Features

- Sleek, low profile LED full cutoff wall pack
- Rugged die-cast aluminum housing
- Dark bronze powder coat finish with polycarbonate lens
- Wattage selectable from 16W to 65W with efficacy of up to 158 $\,\mathrm{lm/W}$
- CCT adjustable 3000K/4000K/5000K
- Full cutoff with zero up light and low glare at angles
- Uniform distribution with no visible pixilation
- Easy installation for new construction or retrofit application
- Universal input voltage 120-277V



Wattage switchable



Switch for wattage & 3CCT

65W/48W/32W/16W









selectable

Product Performance Standard

Size	13.1″x9.6″x3.8″	Power Factor	90%
Weight	5lb	Life Span	50,000 Hrs
IP Rate	IP65	Dimmable	1-10V Dimmable
Color Temp	3CCT 30/40/50K	Efficacy	Up to 150 lm/W
CRI	80	Warranty	10 Years
Input Voltage	120-277V	Ambient Operation Temperature	-40C° (-40°F) ~ 40° (104°F)



332.5mm(13.1in.)

Ordering Guide Example: FCWP3-UW3CCT-65W

Fixture Type	Wattage	Color Temp.	Wattage Options	¹Finish	Optional Accessories
_	_	-			
FCWP3	UW	3ССТ	65W	Standard Finish	Blank = No accessories
	=(Wattage	=Color Temp.	=Maximum Wattage 65W	Blank = Dark Bronze	PC = Photocell (-WPPC)
	selectable)	Adjustable		¹ Premium Finish	EM = Emergency Battery Backup
		(30K/40K/50K)		BK = Black	(EMBK8WL-A-INTO1)
				WH = White	

Note: 1. Premium finish incur an additional cost. Contact factory for MOQ and availability.







FCWP3 Series

Slim full cutoff Wall Pack

Fixture Type:	
Project Name:	
Location:	
Date:	

Product Information

3000K		4000K		5000K		
WATTAGE	LUMEN	EFFICACY	LUMEN	EFFICACY	LUMEN	EFFICACY
65W	9500lm	146lm/W	9700lm	151lm/W	9800lm	151lm/W
48W	7400lm	154lm/W	7500lm	156lm/W	7600lm	158lm/W
32W	4700lm	146lm/W	4800lm	150lm/W	4900lm	153lm/W
16W	2300lm	143lm/W	2400lm	150lm/W	2500lm	156lm/W

Optional Accessories



Internal Button Photocell

- SKU: WPPC
- Internal Photocell is pre-installed by request



Internal Emergency Battery Backup

- SKU: EMBK8WL-A-INTO1
- Internal battery backup is pre-installed by request
- Delivery 900 lumen for 90 minutes emergency operation

For the accessories detail, please visit www. lironlighting.com/product_categories/add-on-accessories





FCWP3 Series

Slim full cutoff Wall Pack

Fixture Type	:
Project Name:	
Location:	
Date:	

Wiring Diagram

_

	Black	Line
	White	Neutral
(-)	Green/Yellow Green	Ground
"	Purple	DIM+
Gray		DIM-



Scan the QR code or visit www.lironlighting.com/product/sfcwp1s for the complete luminare installation guide.

NOTE:			

