

Contractor Select LED Sport Light

Fixture Type:
Project Name
Location:
Date:

Features

- -SPL2 offer a wide range of wattage options, from 500 Watts to 1,500 Watts, with efficacy of up to 170 lumens per watt.
- -Crafted with a robust cold forging aluminum(AL1050) housing, these luminaires are the epitome of cutting-edge lighting technology. Rugged and weather-tight design ensure unparalleled durability, making them ideal for installation in high-vibration areas and extreme environments.
- -Different beam angle options to achieve the perfect lighting coverage, ensure optimal visibility and performance.
- -10KV surge protection device to avoid early failure due to power surge.
- -Comes with an easy adjustable mount designed to fit on in multiple ways. The light can be angled up or down depending to focus the action. Optional yoke mount adapter available.









Specification

Material	Cold forging 1050 aluminum housing	Efficacy	Up to 170 lm/W	
Lens	High impact UV stabilized polycarbonate lens	LED Life Span	50,000 hrs	
Beam angle	15°/30°/45°/60°(500W-600W) 15°/40°/60°/80°(800W-1200W) 15°/30°/45°(1500W)	Dimmable	0-10V Dimming	
Color Temp	4000K/5000K/6500K/RGB/RGBW	Lumen Package	68,000 lm to 217,500 lm	
CRI	70	Warranty	5 Years	
Input Voltage	120-277V/277-480V	Ambient Operation Temperature	-40°C (-40°F) ~45°C (113°F)	

SPL2 Rev 06-18-2024



Contractor Select LED Sport Light

Fixture Type:	
Project Name	
Location:	
Date:	

Ordering Guide

Example: SPL2-600W50K-45D-YKM-PC

Fixture Type		Wattage		Color Temp.		Voltage		¹ Beam Angle
	_		_		_		—	
SPL2		500W 600W 800W 1000W 1200W 1500W		40K=4000K 50K=5000K 65K=6500K RGB = RED/GREEN/BLUE RGBW=RED/GREEN/ BLUE/WHITE		Blank =120-277V HV =277-480V		15D=15° 30D=30° 40D=40° 45D=45° 60D=60° 80D=80°

Note: 1. $15^\circ/20^\circ/30^\circ/45^\circ/60^\circ$ beam angle suitable for 500W and 600W. $15^\circ/20^\circ/40^\circ/60^\circ/80^\circ$ beam angle suitable for 800W,1000W and 1200W. $15^\circ/30^\circ/45^\circ$ beam angle suitable for 1500W.

Optional Accessories

Mountinng

YKM (SKU:SPL2-TRSPA) = Yoke mount adapter

AL (SKU:SPL2-AIMINGLASER) =Aiming laser



Contractor Select LED Sport Light

Fixture Type:	
Project Name	
Location:	
Date:	

Product Information

		400	ОК	5000K			
WATTAGE	EPA	LUMEN	EFFICACY	LUMEN	EFFICACY		
500W	0.95Ft ²	81,500lm	163lm/W	82,500lm	165lm/W		
600W		95,400lm	159lm/W	96,000lm	160lm/W		
720W		118,080lm	164lm/W	118,800lm	165lm/W		
800W		126,400lm	158lm/W	128,000lm	160lm/W		
1000W	1.40Ft ²	148,000lm	148lm/W	150,000lm	150lm/W		
1200W		160,800lm	134lm/W	162,000lm	135lm/W		
1500W		216,000lm	144lm/W	217,500lm	145lm/W		



Contractor Select LED Sport Light

Fixture Type:

Project Name


Location:


Date:

Dimensions


500W-600W









720W-1500W









LED Sport Light 2.0 Series

l	Fixture Type:				
	Project Name				
	Location:				

Optional Accessories

Yoke Mount Adapter:



Yoke Mount Adapter for SPL2 SKU: SPL2-TRSPA

- Yoke mount adapter for the sport light.

Aimming Laser:



Aiming Laser

SKU: SPL2-AIMMINGLASER

- Aiming position laser to ensure aiming to achieve the perfect lighting coverage.

Date: