

LED Sport Light

Fixture	Type
----------------	-------------

Dimensions

Project Name

Location:

Date:

Features

-LED sports light, with high quality aluminum housing and zinc coating for corrosion resistance

-Light beam can be angled at $15^{\circ}/30^{\circ}/45^{\circ}/60^{\circ}/120^{\circ}$

- -Included adjustable trunnion mount
- -Optional laser aiming sight for optimal positioning
- -Pivoting reflector hood, adjustable from 0° to 35°
- -Effective heat dissipation vents to help cool driver













Product Performance Standard

Size:	25.25" x 41.1" x 38.81"	Power Factor:	95%
Weight:	132.28lbs	LED Life Span:	50,000 Hrs
IP Rate:	IP66	Dimmable:	1-10V Dimmable
Color Temp:	2700-5000K RGB/RGBW	THD:	<15%
CRI:	80	Warranty:	5 Years
Input Voltage:	120-277V	Ambient Operation Temperature:	-40C° (-40°F) ~50C° (122°F)

Ordering Guide Example: MST2-1500W-27K-15-LA





1044 mm / 41.1 in

Fixture Type	Wattage	Color Temp.	Voltage	Beam Angle	Finish	Optional Accessories
_	_	_	_		_	
MST2-	1500W	27K = 2700K	Blank = 120-277V	15 = 15°	Blank = Silver	Blank = No Accessories
	1800W	30K = 3000K	HV = 277-480V	30 = 30°		LA = Laser Aiming Sight
		40K = 4000K		45 = 45°		
		50K = 5000K		60 = 60°		
		RGB		120 = 120°		
		RGBW				







LED Sport Light

Fi	xt	UI	re	Ty	p	e	•

Project Name


Location:


Date:


Performance Data


		5000K			
WATTAGE	EPA	LUMEN	EFFICACY		
1500W	2.74	195,000lm	130 lumens/watt		
1800W	2.74	234,000lm	130 lumens/watt		


Distribution Type














MST2-Rev- 7-06-2022 PAGE 2 of 4





LED Sport Light


Fixture '	Type
-----------	------


Project Name


Location:


Date:

Distribution Type














120° Beam Angle

Optional Accessories



Laser Aiming Sight

60° Beam Angle

- SKU: LASERAIMINGSIGHT
- Our laser aiming device provides precise control in angling and aiming to your exact optimal positioning





LED Sport Light

Fixture Type:	
Project Name	
Location:	
Date:	

Wiring Diagram

SI	UPPLY WIRING	I	LUMINAIRE	
	Black		Line	
	White		Neutral	
Gr	een/Yellow Green		Ground	
	Purple		DIM+	
	Gray		DIM-	

Scan the QR code or visit www.lironlighting.com/product /MST2 for the complete luminaire installation guide.

NOTE:			

