

WR4 Series LED WRAP AROUND

Fixture Type:	
Project Name	
Location:	
Date:	

Features

- LED 40W 4FT low profile wrap around
- High quality steel housing
- 100% acrylic prismatic with interior overlay for smooth appearance without pixelation
- It emits 5400 lumen of brightness with 3CCT color temperature adjustable light output
- Optional motion sensor and emergency battery backup available






Product Performance Standard

Size	46 in x 5.31in x 2.1in	Power Factor	90%
Weight	6 lb	Life Span	50,000 Hrs
Mount	Surface Mount	Dimmable	0-10V Dimmable
Color Temp	3CCT 30/40/50K	Efficacy	up to 120 lm/W
CRI	80	Warranty	5 Years
Input Voltage	100-277V	Ambient Operation Temperature	-10C° (14°F) ~ 40C° (104°F)

Ordering Guide Example: WR4-40W3CCT

Dimensions 46 Inch 2.1 Inch





WR4 Series LED WRAP AROUND

Fixture Type:	
Project Name	
Location:	
Date:	

Product Information

	3000K		400	4000K		00K	
WATTAGE	LUMEN	EFFICACY	LUMEN	EFFICACY	LUMEN	EFFICACY	
40W	4680lm	117lm/W	4720lm	118lm/W	4800lm	120lm/W	

Optional Accessories



External motion sensor

- SKU: BL-PIR618-EX
- External motion sensor is pre-installed by request



Internal Emergency Battery Backup

- SKU: EMBK5W-S-INT02
- Internal battery backup is pre-installed by request
- Delivery for 90 minutes emergency operation

For the accessories detail, please visit www. lironlighting.com/product_categories/add-on-accessories





WR4 Series	
LED WRAP AROUND	

Fixture Type:
Project Name
Location:

Wiring Diagram

	Black	Line		
	White	Neutral		
	Green/Yellow Green	Ground		
ս⊢	Purple	DIM+		
	Gray	DIM-		



Date:

Scan the QR code or visit www.lironlighting.com/product/WR4 for the complete luminare installation guide.

NOTE:			

