

WR4 Series

LED WRAP AROUND

Fixture Type:

Project Name

Location:


Date:

Features

- LED 40W 4FT low profile wrap around
- High quality steel housing
- 100% acrylic prismatic with interior overlay for smooth appearance without pixelation
- It emits 5400 lumen of brightness with 3CCT color temperature adjustable light output
- Optional internal motion sensor and emergency battery backup available



Dimensions




Product Performance Standard

Size	46 in x 5.31in x 2.1in	Power Factor	90%
Weight	6 lb	Life Span	50,000 Hrs
Mount	Surface Mount	Dimmable	0-10V Dimmable
Color Temp	3CCT 30/40/50K	Efficacy	up to 120 lm/W
CRI	80	Warranty	5 Years
Input Voltage	100-277V	Ambient Operation Temperature	-10C° (14°F) ~ 40C° (104°F)

Ordering Guide

Example: WR4-40W3CCT



WR4 Series

LED WRAP AROUND

Fixture Type:

Project Name

Location:

Date:

Product Information

3000K			4000K		5000K	
WATTAGE	LUMEN	EFFICACY	LUMEN	EFFICACY	LUMEN	EFFICACY
40W	4680lm	117lm/W	4720lm	118lm/W	4800lm	120lm/W

Optional Accessories



Internal motion sensor

- Internal motion sensor is pre-installed by request



Internal Emergency Battery Backup


- SKU: EMBK5W-S-INT02
- Internal battery backup is pre-installed by request
- Delivery for 90 minutes emergency operation

For the accessories detail, please visit www.lironlighting.com/product_categories/add-on-accessories



Date:

Wiring Diagram



Scan the QR code or visit
www.lironlighting.com/product/WR4 for the
complete luminaire installation guide.

NOTE: