

## UHB2 Series LED UFO HIGH BAY

Fixture	Type:


**Project Name** 

**Location:** 

Date:

#### **Features**

- Durable die-cast aluminum housing and heat dissipating fins for excellent thermal control
- Impact resistant tempered glass
- Black powder coat finish
- Wattage selectable 150W/120W/100W or 240W/200W/150W



- Standard beam angle 80 degree
- Efficacy up to 140 LPW
- Optional motion sensor and emergency battery backup are available














#### **Product Performance Standard**

Size	11" X 3.18" (150W) 13"X3.26"(240W)	Power Factor	90%	
Weight	12 lb	Life Span	50,000 Hrs	
IP Rate	IP65	Dimmable	1-10V Dimmable	
Color Temp	3CCT 35/40/50K	Efficacy	Up to 140 lm/W	
CRI	80	Warranty	5 Years	
Input Voltage	100-277V	Ambient Operation Temperature	-40C° (-40°F) ~ 45C° (113°F)	

### **Dimensions**





The hub size: 3/4"

## Ordering Guide Example: UHB2-UW3CCT-150W

Fixture Type	Wattage -	Color Temp.	Wattage Options	Finish	Optional Accessories
UHB2	UW = 150/120/100W Wattage Selectable UW = 240/200/150W Wattage Selectable	3CCT = 3500/4000/5000K Color Temp. Adjustable	150W =Maximum Wattage150W 240W =Maximum Wattage 240W	Blank = Black	Blank = No accessories  MS = Motion Sensor  (BL-ANT3PIN-PIR)  EM = Emergency  Battery Backup  (EMBK-UHB30W01)

Last updated: 12-5-2022





# **UHB2 Series**LED UFO High Bay

Fixture Type:
Project Name
Location:
Date:

#### **Product Information**

		5000K
WATTAGE	LUMEN	EFFICACY
240W	33,600lm	140lm/W
200W	28,000lm	140lm/W
150W	21,000lm	140lm/W

		5000K
WATTAGE	LUMEN	EFFICACY
150W	21,000lm	140lm/W
120W	16,800lm	140lm/W
100W	14,000lm	140lm/W

### **Optional Accessories**



#### Plug and play PIR Motion Sensor

- SKU:BL-ANT3PIN-PIR
- Motion sensor is pre-installed by request



#### **External Emergency Battery Backup**

- SKU:EMBK-UHB30W01
- External battery backup is field installed only
- 90 minutes emergency operation

For the accessories detail, please visit www. lironlighting.com/product\_categories/add-on-accessories





# **UHB2 Series**LED UFO High Bay

Fixture Type:
Project Name
Location:
Date:

## **Wiring Diagram**

_	Black	Line
	White	Neutral
ı⊩	Green/Yellow Green	Ground
"1	Purple	DIM+
	Gray	DIM-



Scan the QR code or visit www.lironlighting.com/product/uhb2 for the complete luminare installation guide.

NOTE:			

