LiRON LiGHTING

Fixture Type:

Project Name:

Location:

Date:

DD4 Series

LED 5CCT 4"/6"/8"/11" Disk Downlight

Features

- 4"/6"/8"/11" LED disk downlight
- Diffused polycarbonate lens controls direct glare from the LEDs
- Simple snap in installation for J-box
- Die-cast aluminum construction with a powder coat paint finish
- Surface mounts to a standard junction box
- Retrofi t into an existing recessed can
- Selectable color temperature 5CCT : 2700/3000/3500/4000/5000K
- Suitable for wet location

Dimensions





L1	6"	11"
	1.34"	1.34"

Product Performance Standard

Size	4"/6"/8"/11"	**Power Factor**	90%
Weight	2lb	**Life Span**	50,000 Hrs
Mounting	Surface mount/retrofit	**Dimmable**	Triac dimmable
Color Temp	5CCT	**Efficacy**	up to 80 lm/W
CRI	90	**Warranty**	5 Years
Input Voltage	120V	**Ambient Operation Temperature**	-15C° (-4°F) ~ 40° (104°F)

Ordering Guide

Example: DD4-15W6IN5CCT

Fixture Type	Size & Wattage	Color Temp.	Voltage	Finish
DD4	10W4IN=10Watt4Inch 15W6IN =15Watt6Inch 20W8IN=20Watt8Inch 30W11IN=30Watt11Inch	5CCT = 27K/30K/40K/50K/57K (Color Temperature Adjustable)	Blank = 120V	Blank = White

10835 S Wilcrest Dr, Ste C Houston TX 77099 | Customer Service : 833-875-4766 | Email : Sales@lironlighting.com

Due to continuous product improvements, specifications and dimensions are subject to change without notice. Certain options have limited compatibility with some other product selections. Consult www.lironlighting.com for most current technical information.

LiRON LiGHTING

DD4 Series

LED 5CCT 6" Disk Downlight with motion sensor

Fixture Type:

Project Name:

Location:

Date:

Product Information

5000K		
WATTAGE	**LUMEN**	**EFFICACY**
10W	650 lm	65lm/W
15W	1100 lm	73lm/W
20W	1500lm	75lm/W
30W	2150lm	71lm/W

Due to continuous product improvements, specifications and dimensions are subject to change without notice. Certain options have limited compatibility with some other product selections. Consult www.lironlighting.com for most current technical information.

LiRON LiGHTING

DD4 Series

LED 5CCT 6" Disk Downlight with motion sensor

Fixture Type:

Project Name:

Location:

Date:

Wiring Diagram



Scan the QR code or visit www.lironlighting.com/product/DD for the complete luminare installation guide.

NOTE:

Due to continuous product improvements, specifications and dimensions are subject to change without notice. Certain options have limited compatibility with some other product selections. Consult www.lironlighting.com for most current technical information.