

DD4 Series

LED 5CCT 4"/6"/8"/11" Disk Downlight

Fixture Type:

Project Name:

Location:



Date:

Features

- 4"/6"/8"/11" LED disk downlight
- Diffused polycarbonate lens controls direct glare from the LEDs
- Simple snap in installation for J-box
- Die-cast aluminum construction with a powder coat paint finish
- Surface mounts to a standard junction box
- Retrofit into an existing recessed can
- Selectable color temperature 5CCT :
2700/3000/3500/4000/5000K
- Suitable for wet location



Dimensions



L1	6"	11"
	1.34"	1.34"



Product Performance Standard

Size	4"/6"/8"/11"	Power Factor	90%
Weight	2lb	Life Span	50,000 Hrs
Mounting	Surface mount/retrofit	Dimmable	Triac dimmable
Color Temp	5CCT	Efficacy	up to 80 lm/W
CRI	90	Warranty	5 Years
Input Voltage	120V	Ambient Operation Temperature	-15C° (-4°F) ~ 40° (104°F)

Ordering Guide

Example: DD4-15W6IN5CCT

Fixture Type

Size & Wattage

Color Temp.

Voltage

Finish

DD4

10W4IN=10Watt4Inch

15W6IN=15Watt6Inch

20W8IN=20Watt8Inch

30W11IN=30Watt11Inch

5CCT =

27K/30K/40K/50K/57K

(Color Temperature Adjustable)

Blank = 120V

Blank = White





DD4 Series

LED 5CCT 6" Disk Downlight with motion sensor

Fixture Type:
Project Name:
Location:
Date:

Product Information

5000K		
WATTAGE	LUMEN	EFFICACY
10W	650 lm	65lm/W
15W	1100 lm	73lm/W
20W	1500lm	75lm/W
30W	2150lm	71lm/W



