

WS16 Series

LED 8"/14" Outdoor Wall Sconce

Fixture Type:

Project Name

Location:

Date:

Features

- A simplistic, modern design by its styling of straight frame accents along with opal shade. This contemporary wall sconce is as attractive as it is functional. With its sleek black accents finish.

-Wattage selectable 8" 16W/14W/12W

14" 22W/20W/18W


-3CCT Adjustable 3000K/4000K/5000K

-Photocell pre-installed.

-Wet list rated.



Dimensions



Specification

Material	PC Housing	Efficacy	Up to 108 lm/W
Lens	White Acrylic lens	LED Life Span	50,000 hrs
Beam angle	100 degree	Dimmable	Triac Dimming
Color Temp	3CCT 3000K/4000K/5000K	Lumen Package	8" 1,742lm 14"2,619lm
CRI	80 CRI	Warranty	5 Years
Input Voltage	120V	Ambient Operation Temperature	-20°C (-4°F) ~40° C(113°F)
Installation	Wall Mount	Listing	ETL Listed Wet location listed



WS16 Series

LED 8"/14" Outdoor Wall Sconce

Fixture Type:
Project Name
Location:
Date:

Ordering Guide

Example: W16-20-4-4-PC

Fixture Type	Wattage	CCT	Finish	Photocell
W16	10 =16W 8INCH	4 =3CCT 3000K/4000K/5000K	4 = Black	PC =Photocell Pre-installed
	20 =22W 14INCH		6 =Silver	

Note: 1. Only the black finish qualifies for quick shipping. Other finishes require a minimum order quantity (MOQ); please contact the factory for lead times and availability.



WS16 Series

LED 8"/14" Outdoor Wall Sconce

Fixture Type:

Project Name

Location:

Date:

Product Information

WATTAGE	LUMEN	EFFICACY
16W	1,728 lm	108lm/W
14W	1,512 lm	108lm/W
12W	1,296 lm	108lm/W

WATTAGE	LUMEN	EFFICACY
22W	2,618 lm	119lm/W
20W	2,380 lm	119lm/W
18W	2,142 lm	119lm/W