

# VT4 Series

LED Vapor Tight Wattage Selectable & 3CCT

**Fixture Type:**

**Project Name**

**Location:**


**Date:**

## Features

- High impact resistant acrylic prismatic lenses attached with stainless steel clips, enhancing the airtight seal
- Wattage selectable 30W/40W/50W
- Color temperature adjustable 3000K/4000K/5000K
- 0-10V dimmable
- 3/4" knockouts hole for easier installation
- Weather proof fixture - IP65 Rated suitable for wet location
- Optional accessories internal motion sensor and emergency battery backup
- 5 Year warranty




## Dimensions



## Product Performance Standard

<b>Size</b>	47.2" x 5" x 3.54"	<b>Power Factor</b>	90%
<b>Weight</b>	8 lb	<b>Life Span</b>	50,000 Hrs
<b>IP Rate</b>	IP65	<b>Dimmable</b>	0-10V Dimmable
<b>Color Temp</b>	3CCT	<b>Efficacy</b>	Up to 160 lm/W
<b>CRI</b>	80	<b>Warranty</b>	5 Years
<b>Input Voltage</b>	120-277V	<b>Ambient Operation Temperature</b>	-37C° (-30°F) ~ 50C° (122°F)



## Ordering Guide

Example: VT4-4FTUW3CCT-50W

Fixture Type	Length	Wattage	3CCT	Voltage	Wattage Options	Optional Accessories
VT4	4FT = 4 Feet	UW = Wattage Selectable	3CCT = Color Temperature Selectable	Blank = 120-277V HV =480V	50W =Maximum Wattge 50W	Blank = No accessories MS = Motion Sensor (BL-810MW-IN) EM = Emergency Battery Backup (EMBK8WL-S-INT01) 6FT Aircraft Cable

# VT4 Series

LED Vapor Tight Wattage Selectable & 3CCT

<b>Fixture Type:</b>
<b>Project Name</b>
<b>Location:</b>
<b>Date:</b>

## Product Information

4'		3000K		4000K		5000K	
WATTAGE	LUMEN	EFFICACY	LUMEN	EFFICACY	LUMEN	EFFICACY	
50W	7900lm	158lm/W	8000lm	160lm/W	8000lm	160lm/W	
40W	6320lm	158lm/W	6400lm	160lm/W	6400lm	160lm/W	
30W	4740lm	158lm/W	4800lm	160lm/W	4800lm	160lm/W	

## BUG Rating

WATTAGE	B	U	G
50W	1	3	2
40W	1	3	2
30W	1	3	2

## Optional Accessories



### Internal Motion Sensor

- Internal motion sensor is field installed or pre-installed by request



### Internal Emergency Battery Backup

- External battery backup is pre-installed by request  
 - Delivery 1280 lumen for 90 minutes emergency operation



### 6FT aircraft cable


- SKU: AircraftCable-VT4/SP2-6FT

# VT4 Series

LED Vapor Tight Wattage Selectable & 3CCT

<b>Fixture Type:</b>
<b>Project Name</b>
<b>Location:</b>
<b>Date:</b>

## Wiring Diagram



## Installation Instructions

**1. Drill four holes into the screw locations on the ceiling.**

**2. Fix the plastic anchor into the ceiling, insert the screws into the metal clamp, then fix the screws into the anchor**

**3. Fix the fixture into the clamps shown as above**

**4. Complete the installation as the above picture shown**

### Wiring

L (Live Line)  
 GND (Ground)  
 N (Null Line)

**⚠ Warning: Turn off the power before installation**