

# **SP1 Series**

LED Strips Light

# Fixture Type: Project Name: Location: Date:

### **Features**

- LED 4' and 8' strip light
- Aluminum housing with white coat finish
- Frosted white diffuser lens
- Wattage selectable 4' 30/35/40W or 8' 60/70/80W
- 3CCT color temperature adjustable 3500K/4000K/5000K
- 155 lumen per watt
- Universal 100-277V input voltage
- Standard surface mount, optional pendant mount (hanging cable sold separately)
- Optional motion sensor and emergency battery backup











## **Product Performance Standard**

Size	4FT/8FT	Dimming	0-10V Dimming
Weight	8 lb	Life Span	50,000 Hrs
Color Temp	3CCT 35/40/50K	Efficacy	155 lm/W
CRI	80	Warranty	5 Years
Input Voltage	100-277V	Ambient Operation Temperature	-13C° (-4°F) ~ 40° (104°F)

## Ordering Guide Example: SP1 -8FT UW 3CCT

Fixture Type	Length	Wattage	ССТ	Voltage	Optional Accessories
			_	-	
SP1	4FT	UW	3CCT	Blank	Blank = No accessories
	8FT	4′ 30/35/40W 8′ 60/70/80W	= Color temperature adjustable	= 100-277V	MS = Motion Sensor (MS-SP1)
		, ,	35/40/50K		EM = Emergency Battery Backup
					(EMBK8WH-A-INT01)
					HC-SP1= 5ft Hanging Cable





# **SP1 Series**

LED Strip Light

Fixture Type:	
Project Name:	
Location:	
Date:	

#### **Product Information**

		500	ок
LENGTH	WATTAGE	LUMEN	EFFICACY
4′	30W	4,650lm	155lm/W
	35W	5,425lm	1.55lm/W
	40W	6,200lm	155lm/W

		5000	OK .
LENGTH	WATTAGE	LUMEN	EFFICACY
8′	60W	9,300lm	155lm/W
	70W	10,850lm	155lm/W
	80W	12,400m	155lm/W

# **Optional Accessories**



#### **Motion Sensor**

- SKU: MS-SP1
- Internal motion sensor is pre-installed by request



#### **Emergency Battery Backup**

- SKU: EMBK8WH-A-INTO1
- Internal battery backup is pre-installed by request
- Delivery 1000 lumen for 90 minutes emergency operation



#### **Alignment Bracket**

- Bracket to connect two fixtures together

For the accessories detail, please visit www. lironlighting.com/product\_categories/add-on-accessories






# **SP1 Series**

LED Strip Light

Fixture Type:	
Project Name:	
Location:	
Date:	


### **Dimensions**





Mode	size	A (inch)(mm)	B (inch)(mm)	C (inch)(mm)
SP1	4FT	48.03" 1220mm	3.28" 82mm	3.28" 82mm
SP1	8FT	95.98 " 2438mm	3.28" 82mm	3.28" 82mm

# Wiring Diagram





Scan the QR code or visit www.lironlighting.com/product/SP3 for the complete installation guide.

