


<b>Fixture Type:</b>
<b>Project Name</b>
<b>Location:</b>
<b>Date:</b>

## Features

- The CNP4 is great choice for both new and retrofit petroleum canopy application. with its high efficacy, architectural appearance and versatility make it suitable for a wide range of application like retail gas station, convenience store, and other canopy applications.
- Die cast aluminum housing for the light engine is optimized for thermal mangement.
- Casting thermally conducts LED heat to optimize performance and long life.
- Two wattage option 100W and 150W, design with wattage selectable 100%,80%,60%,40%.
- Suitable for wet location.



## Dimensions



## Specification

<b>Material</b>	Die-cast aluminum housing	<b>Efficacy</b>	Up to 150 lm/W
<b>Lens</b>	Tempered glass lens	<b>LED Life Span</b>	50,000 hrs
<b>Beam angle</b>	90 degree	<b>Dimmable</b>	0-10V Dimming
<b>IColor Temp</b>	4000K/5000K	<b>Lumen Package</b>	10,000 lm to 23,000 lm
<b>CRI</b>	70	<b>Warranty</b>	5 Years
<b>Input Voltage</b>	120-277V or 347-480V	<b>Ambient Operation Temperature</b>	-40°C(-40°F) to 50°C (122°F)
<b>Installation</b>	Standard 4" hole Single top deck, double top deck	<b>Listing</b>	UL Listed Wet location listed

# CNP4 Series

LED Gas Station Canopy

**Fixture Type:**

**Project Name**

**Location:**

**Date:**

## Ordering Guide

Example: CNP4-UW50K-HV-100W-MS01

Fixture Type	Wattage	Color Temp.	Voltage	Maximum Wattage
CNP4	UW = Wattage Selectable	40K =4000K  50K =5000K	Blank =120-277V  HV =347-480V	100W =Maximum Wattage 100W  150W = Maximum wattage 150 Watt

## Optional Accessories

Motion Sensor



MS01

(SKU:01VR-2-MIC)

=12V Microwave motion sensor ,Internal pre-installed

# CNP4 Series

LED Gas Station Canopy

**Fixture Type:**

**Project Name**

**Location:**

**Date:**

## Product Information

CNP4-UW50K-100W			4000K		5000K	
WATTAGE	LUMEN	EFFICACY	LUMEN	EFFICACY		
100W	15000lm	150lm/W	15000lm	150lm/W		
80W	12300lm	154lm/W	12300lm	154lm/W		
60W	9600lm	160lm/W	9600lm	160lm/W		
40W	6700lm	166lm/W	6700lm	166lm/W		

CNP4-UW50K-150W			4000K		5000K	
WATTAGE	LUMEN	EFFICACY	LUMEN	EFFICACY		
150W	23000lm	147lm/W	22000lm	147lm/W		
120W	18000lm	150lm/W	18000lm	150lm/W		
90W	14000lm	156lm/W	14000lm	156lm/W		
60W	9700lm	162lm/W	9700lm	162lm/W		

## CNP4 Series

LED Gas Station Canopy

**Fixture Type:**

**Project Name**

**Location:**

**Date:**

### Optional Accessories

Motion Sensor:



#### 12V DC Input Microwave Motion Sensor

**SKU: 01VR-2-MIC**

- Automatic on/off control with daylight sensor.
- Internal pre-installed by request.