


Fixture Type:
Project Name
Location:
Date:

Features

- The CNP4 is great choice for both new and retrofit petroleum canopy application. with its high efficacy, architectural appearance and versatility make it suitable for a wide range of application like retail gas station, convenience store, and other canopy applications.
- Die cast aluminum housing for the light engine is optimized for thermal mangement.
- Casting thermally conducts LED heat to optimize performance and long life.
- Two wattage option 100W and 150W, design with wattage selectable 100%,80%,60%,40%.
- Suitable for wet location.



Dimensions




Specification

Material	Die-cast aluminum housing	Efficacy	Up to 150 lm/W
Lens	Tempered glass lens	LED Life Span	50,000 hrs
Beam angle	90 degree	Dimmable	0-10V Dimming
IColor Temp	2CCT 4000K/5000K	Lumen Package	10,000 lm to 23,000 lm
CRI	70	Warranty	5 Years
Input Voltage	120-277V or 347-480V	Ambient Operation Temperature	-40°C(-40°F) to 50°C (122°F)
Installation	Standard 4" hole Single top deck, double top deck	Listing	UL Listed Wet location listed


Fixture Type:
Project Name
Location:
Date:

Ordering Guide Example: CNP4-UW50K-HV-100W-MS01



Optional Accessories

Motion Sensor



MS01

=12V Microwave motion sensor
,Internal pre-installed

CNP4 Series

LED Gas Station Canopy

Fixture Type:
Project Name
Location:
Date:

Product Information

CNP4-UW50K-100W			4000K		5000K	
WATTAGE	LUMEN	EFFICACY	LUMEN	EFFICACY		
100W	15000lm	150lm/W	15000lm	150lm/W		
80W	12300lm	154lm/W	12300lm	154lm/W		
60W	9600lm	160lm/W	9600lm	160lm/W		
40W	6700lm	166lm/W	6700lm	166lm/W		

CNP4-UW50K-150W			4000K		5000K	
WATTAGE	LUMEN	EFFICACY	LUMEN	EFFICACY		
150W	23000lm	147lm/W	22000lm	147lm/W		
120W	18000lm	150lm/W	18000lm	150lm/W		
90W	14000lm	156lm/W	14000lm	156lm/W		
60W	9700lm	162lm/W	9700lm	162lm/W		

CNP4 Series

LED Gas Station Canopy

Fixture Type:
Project Name
Location:
Date:

Optional Accessories

Motion Sensor:



12V DC Input Motion Sensor

SKU: US002-01VR-2

- Automatic on/off control with daylight sensor.
- Internal pre-installed by request.