

GR02 Recessed Downlight

FIXTURE TYPE:
PROJECT NAME:
LOCATION:
DATE:

GR02 RECESSED DOWNLIGHT





6 Inch
14 Watts





4 Inch
10 Watts

Dimensions



Hole Size: $\varnothing$ 4 21/64" (110mm)



Hole Size: $\varnothing$ 6 19/64" (160mm)

Specification

Size	4" / 6"
Mounting	Recessed Mount
Color Temp	2700K/3000K/3500K/4000K/5000K (Selectable)
Input Voltage	120VAC
CRI	90
Dimmable	Triac Dimming
Efycacy	Up to 90lm/W
PF	>90%
Life Span	50,000hrs
Warranty	5 Years
Ambient Operation Temperature	-20°C (-4°F) ~ 45°C (113°F)
Listing	ETL Listed & Wet Location
Lumen Package	770lm to 1260lm

GR02 Recessed Downlight

FIXTURE TYPE:
 PROJECT NAME:
 LOCATION:
 DATE:

GR02 RECESSED DOWNLIGHT

Features

- This GR02 features 180° rotation, 20° tilt, and a 120° beam angle, allowing you to highlight architectural details or artistic accents with precision.
- Canless installation, no housing required.
- Selectable color temperature (5CCT) makes it adaptable to a variety of lighting preferences and spaces.
- Engineered for durability and moisture resistance, this fixture is fully suitable for wet locations, offering dependable performance in bathrooms, kitchens, and other high-humidity areas.
- Versatile Application
 - Perfect for narrow ceilings and widely used in:
 - Kitchens & Bars
 - Living Rooms & Bedrooms
 - Bathrooms & Hallways

Ordering Guide

Fixture Type	Size & Wattage	Color Temp	Voltage	Trim
GR02	10W4IN = 10Watt 4Inch 14W6IN = 14Watt 6Inch	5CCT = 27K/30K/35K/40K/50K Color Temp. Adjustable	Blank = 120V	Blank = White Trim

GR02 Recessed Downlight

FIXTURE TYPE:
PROJECT NAME:
LOCATION:
DATE:

GR02 RECESSED DOWNLIGHT

Performance Data

4inch	2700K	3000K	3500K	4000K	5000K
WATTAGE	LUMEN	LUMEN	LUMEN	LUMEN	LUMEN
10W	800lm	820lm	820lm	800lm	770lm

6inch	2700K	3000K	3500K	4000K	5000K
WATTAGE	LUMEN	LUMEN	LUMEN	LUMEN	LUMEN
14W	1220lm	1260lm	1220lm	1190lm	1150lm

Easily flip the switch for desired CCT



180° Rotation



20° Tilt Range



Beam Angle 120°


Accessories



J-Box Driver
(Included)



Connector
(Included)



Hole Cutout Card
(Included)